


PFC Boost Inductor For ON Semiconductor NCP1606 PFC Controller



Core material Ferrite

Terminations RoHS compliant tin-silver over tin over copper over copper-steel

Weight 27.2 g

Ambient temperature -40°C to +85°C with Irms current, +85°C to +125°C with derated current

Storage temperature Component: -40°C to +85°C. Tray packaging: -40°C to +80°C

Moisture Sensitivity Level (MSL) 1 (unlimited floor life at <30°C / 85% relative humidity)

Packaging 36 parts per tray

PCB washing Tested with pure water or alcohol only. For other solvents, see Doc787_PCB_Washing.pdf.

	Inductance Inductance ¹ at Ipk Ipk			DCR max (Ohms) ²		Leakage inductance ³	Turns ratio	Irms ⁴
Part number	±15% (μΗ)	min (µH)	(A)	pri	aux	max (µH)	pri : aux	(A)
FA2890-AL	400.0	340.0	3.7	0.27	0.345	50.0	10:1	2.2

1. Inductance measured at 100 kHz, 0.1 V, 0 Adc using an Agilent/ HP 4284A impedance analyzer or equivalent.


2. DCR measured on Cambridge Technology micro-ohmmeter.


3. Leakage inductance is for the primary and measured with pins 4 and 8 shorted.

4. Current that causes a 40°C temperature rise from 25°C ambient.

5. Electrical specifications at 25°C.

Irms Derating





Coilcra www.coilcraft.com

US +1-847-639-6400 sales@coilcraft.com UK +44-1236-730595 sales@coilcraft-europe.com Taiwan +886-2-2264 3646 sales@coilcraft.com.tw China +86-21-6218 8074 sales@coilcraft.com.cn Singapore + 65-6484 8412 sales@coilcraft.com.sg

Document 607 Revised 12/22/21

© Coilcraft Inc. 2021 This product may not be used in medical or high risk applications without prior Coilcraft approval. Specification subject to change without notice. Please check web site for latest information.

